

IMPORTANT SAFETY NOTICE, INSTRUCTIONS FOR USE AND TERMS & CONDITIONS

We take reasonable steps to ensure that our Products comply with applicable GPSR requirements. Our EU Responsible Person for GPSR Product Safety Compliance is EU Compliance Partner. For safety instructions in additional languages or further details, please visit: instructions.rarerims.co.uk

If you have any questions or concerns, please contact us at:

- Email: wheels@rarerims.co.uk
- Phone: +44 (0) 1363 777007

WARNING – PROFESSIONAL INSTALLATION REQUIRED

This product must be installed by a qualified professional. Improper installation or use may result in vehicle damage, serious injury, compromised road safety or non-compliance with local road-use regulations. It is the customer's responsibility to ensure professional installation, and the qualified professional must confirm compatibility, compliance with local regulations and correct installation before use.

For the purposes of these instructions, a “**qualified professional**” is a suitably trained and experienced mechanic, vehicle technician, or wheel and tyre specialist with the necessary tools to ensure correct installation.

Products are selected using the best reasonably available vehicle and product fitment data. However, vehicle specifications, modifications, previous repairs, and other variations mean that the exact configuration of every individual vehicle cannot be verified. All products must therefore be checked by a qualified professional before and during installation to confirm suitability for the specific vehicle and application.

Below are key checks that must be performed by a qualified professional, including but not limited to:

FOR ALLOY (OR STEEL) WHEELS:

- Ensure the load rating, PCD (pitch circle diameter), width, diameter, offset, and centre-bore (diameter and depth) are correct for the vehicle.
- Where spigot rings (hub rings) are required, ensure they are the correct fit for both the wheel and vehicle hub and that they seat correctly with no protrusion.
- Confirm that tyres to be fitted are road-legal and meet local regulations, and that they are the correct type, load rating, speed rating, diameter, width, and profile for both the vehicle and the wheel.

- Before fitting tyres, check for adequate clearance for brake, suspension, and steering components, and bodywork. **Tyres must only be fitted once correct fitment and clearance have been confirmed.**
- Verify that all wheel fixings are suitable for both the vehicle and the wheel, including the correct thread size, thread pitch, seating type, length, and sufficient thread engagement.
- For vehicles using wheel bolts, ensure the bolts do not bottom out in the hub or interfere with any brake or hub components.
- Where capped (closed-end) wheel nuts are used, ensure there is clearance between the end of the wheel stud and the closed end of the wheel nut when the wheel is securely clamped.
- Ensure tyre pressures are set in accordance with both the tyre and vehicle manufacturers' recommendations.
- After tyres have been fitted and inflated, re-check clearance from brakes, suspension, steering components and bodywork to ensure safe operation under full steering and suspension travel.
- Before installation, ensure all fixings and threaded holes are clean, free from debris, and undamaged.
- Ensure fixings are torqued to the manufacturer's specifications upon installation.
- Ensure fixings are re-torqued after the first 50 miles (80 km) of driving.

FOR TYRES:

- Confirm that tyres are road-legal and meet local regulations, and that they are the correct type, load rating, speed rating, diameter, width, and profile for both the vehicle and the wheel.
- Before installation, confirm that the tyre size and profile do not cause interference with bodywork, suspension, or steering components under full steering and suspension travel.
- Ensure tyre pressures are set in accordance with both the tyre and vehicle manufacturers' recommendations.
- Before installation, ensure all fixings and threaded holes are clean, free from debris, and undamaged.
- Ensure fixings are torqued to the manufacturer's specifications upon installation.
- Ensure fixings are re-torqued after the first 50 miles (80 km) of driving.

FOR WHEEL FIXINGS (NUTS, BOLTS OR STUDS):

- Verify that all wheel fixings are suitable for both the vehicle and the wheel, including the correct thread size, thread pitch, seating type, length, and sufficient thread engagement.
- For vehicles using wheel bolts, ensure the bolts do not bottom out in the hub or interfere with any brake or hub components.
- Where capped (closed-end) wheel nuts are used, ensure there is clearance between the end of the wheel stud and the closed end of the wheel nut when the wheel is securely clamped.
- Before installation, ensure all fixings and threaded holes are clean, free from debris, and undamaged.
- Ensure fixings are torqued to the manufacturer's specifications upon installation.
- Ensure fixings are re-torqued after the first 50 miles (80 km) of driving.

FOR SPIGOT RINGS (HUB RINGS):

- Ensure the spigot rings are the correct fit for both the wheel and vehicle hub and that they seat correctly with no protrusion.
- Ensure the spigot rings do not prevent the wheel from seating correctly against the vehicle hub.
- Before installation, ensure the spigot rings, wheel and relevant mating surfaces are clean, free from debris and undamaged.

FOR WHEEL SPACERS:

- Ensure the PCD (pitch circle diameter) is correct for the application.
- Verify that the centre-bore diameter and depth allow the spacer to sit flat against both the vehicle hub and the wheel hub face.
- Ensure the spacer sits correctly and flush against the relevant mounting surfaces, with no interference preventing correct seating.
- Before installation, ensure all fixings, threaded holes and mating surfaces are clean, free from debris, and undamaged.
- Verify that all wheel fixings are suitable for the vehicle, spacer and wheel, including the correct thread size, thread pitch, seating type, length, and sufficient thread engagement.

- For vehicles using wheel bolts, ensure the bolts do not bottom out in the hub or interfere with any brake or hub components.
- Where capped (closed-end) wheel nuts are used, ensure there is clearance between the end of the wheel stud and the closed end of the wheel nut when the wheel is securely clamped.
- Ensure fixings are torqued to the manufacturer's specifications upon installation.
- Ensure fixings are re-torqued after the first 50 miles (80 km) of driving.

FOR WHEEL PCD ADAPTERS:

- Ensure both PCDs are correct for the application.
- Confirm that the centre-bore diameter and depth allow the PCD adapter to sit flat against both the vehicle hub and the wheel hub face.
- Ensure the adapter sits correctly and flush against the relevant mounting surfaces, with no interference preventing correct seating.
- Before installation, ensure all fixings, threaded holes and mating surfaces are clean, free from debris, and undamaged.
- Verify that all wheel fixings are suitable for the vehicle, adapter and wheel, including the correct thread size, thread pitch, seating type, length, and sufficient thread engagement.
- For vehicles using wheel bolts, ensure the bolts do not bottom out in the hub or interfere with any brake or hub components.
- Where capped (closed-end) wheel nuts are used, ensure there is clearance between the end of the wheel stud and the closed end of the wheel nut when the wheel is securely clamped.
- Ensure fixings are torqued to the manufacturer's specifications upon installation.
- Ensure fixings are re-torqued after the first 50 miles (80 km) of driving.

FOR ALL PRODUCTS:

- Confirm that the product is the correct specification for the application.
- Confirm that all products meet local regulations and legal requirements for road use.
- Perform installation in accordance with industry standards and manufacturer guidelines.

IF ANY VIBRATION, UNUSUAL NOISE OR HANDLING ISSUE BECOMES APPARENT, STOP DRIVING IMMEDIATELY AND HAVE THE INSTALLATION RE-CHECKED BY A QUALIFIED PROFESSIONAL.

SAFETY DISCLAIMER

This is a non-exhaustive list. Additional checks may be required depending on the specific product, vehicle, and intended use. A qualified professional is responsible for ensuring all necessary safety and compatibility checks are completed before use.

DO NOT FIT TYRES OR USE THE WHEELS UNTIL ALL REQUIRED COMPATIBILITY, FITMENT, CLEARANCE, AND SAFETY CHECKS HAVE BEEN COMPLETED BY A QUALIFIED PROFESSIONAL.

LIABILITY DISCLAIMER

To the fullest extent permitted by law, we accept no liability for issues arising from the installation or use of incompatible products where the incompatibility should reasonably have been identified during the required professional compatibility and fitment checks.

TERMS AND CONDITIONS

These instructions must be read in conjunction with our Terms and Conditions. By purchasing and using our products, you agree to the Terms and Conditions and accept the responsibilities outlined therein.

TERMS AND CONDITIONS

1. General

We reserve the right to change these Terms and Conditions at any time. Any changes will take effect when posted on our websites, including but not limited to www.rarerims.co.uk, www.rotawheelsuk.com, trade.rotawheelsuk.com and instructions.rarerims.co.uk.

By continuing to purchase our Products after changes are posted, you agree to the latest version of these Terms and Conditions.

All Products must be installed by a qualified professional who has the necessary training and expertise. Please refer to the Safety Instructions and Terms and Conditions available on our Websites, at instructions.rarerims.co.uk, or via the link provided with your product packaging. If you cannot locate these documents, please contact us before using the Products, and we will provide you with a copy.

If you are purchasing Products on behalf of a business, you confirm that you have the authority to bind that business.

Our Products are not to be sold, supplied, shipped, exported, re-exported or otherwise distributed, directly or indirectly, to the United States of America, Canada, or any United States territory.

To comply with the General Product Safety Regulation (GPSR), we maintain technical documentation for our Products as required. Relevant documentation will be provided to the appropriate authorities upon request where required by applicable law.

We take reasonable steps to ensure that our Products comply with applicable GPSR requirements. Our EU Responsible Person for GPSR Product Safety Compliance is EU Compliance Partner. For our Safety Instructions and Terms and Conditions, including versions available in other languages, please visit instructions.rarerims.co.uk. If you have any questions or concerns, please contact us at wheels@rarerims.co.uk or call +44 (0)1363 777007.

2. Order Process

Before placing an order, please review the measurements, specifications and diagrams on our Websites, or on our online marketplace listings (e.g. eBay, Amazon).

Where you provide us with vehicle information, including registration number, make, model, year, specification or other information, you are responsible for ensuring that the information supplied is complete and accurate.

You must inform us of any relevant modifications or non-standard components which may affect compatibility or fitment, including, where applicable, modifications to the suspension, brakes, hubs, wheel studs, bodywork or other relevant components.

You are responsible for ensuring that the Products (including wheels) will fit your vehicle. Products must be installed by a qualified professional who can confirm compatibility, ensure compliance with local regulations, and verify proper fitment.

Products must be inspected and, where appropriate, test-fitted before tyres are mounted, the Products are permanently installed, or the vehicle is driven. A qualified professional should test-fit the Products to ensure adequate clearance for brakes, suspension, bodywork, and hub/spigot depth.

Bodywork modifications, suspension adjustments and/or wheel spacers may be required for safe fitment. If you are unsure, consult your professional installer or local regulatory bodies before using the Products.

If there is any doubt regarding the specification, condition, compatibility or fitment of a Product, installation must stop and you must contact us before the Product is used.

Your vehicle must comply with all local legal requirements and regulations for public road use. If you are unsure, please seek advice from a qualified professional or local authorities.

All orders are subject to our acceptance. Payment processing or receiving an order confirmation email does not constitute acceptance. Your order is accepted once we have confirmed it as described in these Terms and Conditions.

Product Availability and Substitutions

We aim to supply Products as advertised. Where a Product is unavailable, out of stock or discontinued, we may contact you to offer a suitable alternative. Where required by applicable law, an alternative Product will only be supplied with your agreement.

In the case of ancillary fitting components, including wheel nuts, bolts, studs and spigot rings, equivalent components from a different manufacturer may be supplied where a particular brand or manufacturer does not form part of the advertised Product specification. Any such component will be intended to meet the relevant specification and application.

We will not substitute a Product or component where the difference would materially affect its compatibility, fitment, safety or intended use.

Nothing in this provision affects your statutory rights.

3. Trade Sales

If you are a trade customer, distributor or reseller, you confirm that you have the knowledge and resources to ensure that the Products you purchase from us are resold and supplied safely and in compliance with all relevant laws and regulations.

This includes, but is not limited to:

- Providing and passing on to your customers and end users all relevant safety information, warnings, instructions for use, installation instructions and other product-safety information supplied or made available by us in relation to the Products.
- Ensuring that such safety information and instructions remain available to the customer or end user and are not removed, obscured, altered or omitted when the Products are resold or otherwise supplied.
- Making your customers and end users aware of any requirement for installation by a qualified professional and of the requirement to carry out the compatibility and fitment checks specified in our Safety Instructions.
- Ensuring that any relevant safety information supplied with or relating to fitting kits, wheel fixings or other fitting components is passed on with the Products.
- Verifying that the Products meet all applicable local regulations and legal requirements for their intended use.
- Not modifying, relabelling, repackaging or selling the Products in a manner which compromises their safety, instructions, warnings, identification, traceability or regulatory compliance.
- Not selling or supplying the Products for an application or purpose which you know, or reasonably ought to know, is unsuitable.

- Promptly informing us of any safety-related complaint, incident, suspected defect or other information which may reasonably indicate a safety issue with a Product.
- Providing reasonable cooperation with any product-safety investigation, corrective action, withdrawal or recall relating to Products supplied by us.

Our Products are not to be sold, supplied, shipped, exported, re-exported or otherwise distributed, directly or indirectly, to the United States of America, Canada, or any United States territory. Trade customers, distributors and resellers are responsible for taking reasonable steps to ensure that Products they supply are not subsequently supplied or distributed to any of these territories.

Where you provide your own product listing, description, application information or fitment advice to your customer, you are responsible for ensuring that the information you provide is accurate and does not contradict, omit or misrepresent relevant safety information or instructions supplied by us.

You agree to indemnify us against claims, damages, losses or liabilities arising from your failure to comply with these obligations, to the extent permitted by law.

4. Product Compatibility and Fitting Kits

Product Compatibility

Product and vehicle application information is based on vehicle and product data reasonably available to us at the time. Vehicle specifications, components and configurations may vary by model, year, production date, specification, market, previous modification or other factors.

Any compatibility information, application data, recommendation or advice provided by us does not replace the requirement for the Product to be checked against the individual vehicle before installation or use.

Where you provide us with vehicle information, including registration number, make, model, year, specification or other information, you are responsible for ensuring that the information supplied is complete and accurate and for informing us of any relevant modifications or non-standard components which may affect compatibility or fitment.

All Products must be inspected and, where appropriate, test-fitted by a qualified professional before final installation or use. The qualified professional must verify that the Product supplied is of the correct specification and is compatible with the particular vehicle and intended application.

Where applicable, compatibility checks must include dimensions, load rating, clearances, mounting or fixing requirements and any other characteristics relevant to the safe installation and use of the Product.

If any Product is found to be incompatible, incorrect or unsuitable, do not install or use it and contact us before installation or use.

Fitting Kits and Wheel Fixings

Where a fitting kit (including wheel nuts, bolts, studs, spigot rings or other fitting components) is supplied or recommended by us, it is selected using vehicle and product application data reasonably available to us at the time of supply.

The supply or recommendation of a fitting kit does not remove the requirement for the qualified professional to verify that the fitting components actually supplied are of the correct specification and compatible with the particular vehicle and wheel before installation.

Fitting kits and fitting components may be sourced from different manufacturers. Unless a particular brand or manufacturer is expressly stated as forming part of the Product specification, the brand, manufacturer, appearance or packaging of fitting components supplied may vary, provided that the component supplied is intended to meet the relevant specification and application.

The qualified professional must carry out the compatibility and installation checks set out in our Safety Instructions before the Products are used.

If any supplied fitting component is found to be incompatible, incorrect or unsuitable, do not install or use it and contact us before installation.

To the fullest extent permitted by law, we will not be responsible for damage or other issues resulting from the installation or use of an incompatible Product, fitting kit or fitting component where the incompatibility should reasonably have been identified during the required professional compatibility and fitment checks.

Nothing in this section affects your statutory rights.

5. Product Data and Digital Content

Where we provide product information or digital content, including through data feeds, CSV, XML, API, spreadsheets, downloads, images or any other electronic format ("Product Data"), it is provided to assist with the advertising and resale of our Products.

Product Data may include product descriptions, specifications, application or fitment information, prices, stock availability, images and other product-related information. We take reasonable care to ensure that Product Data is accurate, but it may contain errors or omissions and may be changed, corrected or updated at any time. Prices, stock levels and availability may change without notice and should not be treated as guaranteed or as an offer to supply.

Where Product Data includes vehicle application, compatibility or fitment information, it does not replace the compatibility, inspection, test-fitting and

professional installation requirements set out in these Terms and Conditions and our Safety Instructions.

You are responsible for the way Product Data is used or presented by you and for keeping information reasonably up to date. Product Data must not be altered or presented in a way that is misleading, materially inaccurate or inconsistent with safety information or instructions supplied by us.

Images, descriptions and other materials supplied by us may be used by authorised trade customers for the advertising and resale of the relevant Products but may not be sold, licensed or redistributed as a standalone data or content service without our written consent.

We may change, suspend or withdraw Product Data or the method by which it is supplied at any time. To the fullest extent permitted by law, we are not liable for losses resulting from your alteration or misuse of Product Data, your failure to use updated information made available by us, or errors introduced by your systems or third-party platforms.

6. Delivery, Risk, and Title

We will fulfil your order within 30 days unless we agree on a different timeframe.

Risk in the Products passes to you upon delivery.

Ownership of the Products passes to you once we receive full payment, including any delivery charges.

7. Price and Payment

The price of the Products will be as quoted over the phone, on our Websites, or on marketplace listings, unless there is an error. If we discover an error, we will contact you as soon as possible to confirm the correct price or give you the option to cancel the order.

All prices include VAT (where applicable) but exclude delivery charges unless stated otherwise.

Payment can be made by credit/debit card, PayPal, bank transfer, or an online marketplace payment method.

If we cannot fulfil your order due to stock issues and cannot supply an appropriate alternative in accordance with the Product Availability and Substitutions provisions above, we will issue a full refund for the affected Product.

8. Consumer Rights (For Consumers Only)

If you are purchasing as a consumer, you may cancel your contract within 14 days, starting from the day after you receive the Products. We will provide a refund in accordance with your statutory rights.

To cancel, please inform us in writing. You must return the Products to the address provided by us, unless otherwise agreed. You must take reasonable care of the Products while they are in your possession.

Nothing in these Terms and Conditions affects your statutory rights as a consumer.

9. Warranty – Wheels

We warrant that any wheels purchased from us are of satisfactory quality and fit for the purposes for which such Products are commonly supplied, provided they are correctly installed and used under normal driving conditions.

To initiate a warranty claim, contact us at wheels@rarerims.co.uk or call +44 (0)1363 777007, providing proof of purchase and detailed information about the issue.

If you become aware of a suspected defect, fitment issue, unusual vibration, noise, loosening, damage or other condition which may affect safety, you must stop using the affected Product and have it checked before further use.

Where reasonably required to investigate a warranty or safety claim, you must retain the affected Product and relevant fitting components and provide reasonable information concerning the vehicle, installation and circumstances of the issue.

This warranty does not apply if the wheels are:

- Modified in any way after purchase.
- Mishandled or cared for negligently (e.g. cleaned with acid-based cleaners).
- Damaged by a road hazard or heavy impact.
- Used on a vehicle for which they are not suitable (e.g. exceeding the maximum load rating, insufficient brake or arch clearance).
- Used beyond normal driving conditions (e.g. competition, off-road, motorsport).
- Installed on a modified vehicle where the modification contributed to the damage.
- Not fitted by a qualified professional.
- Used for an unsuitable application.
- Incorrectly fitted or fitted to a vehicle they do not properly fit.
- Fitted using incompatible or incorrectly installed wheel fixings or fitting components.
- Fitted where the compatibility and installation checks required by our Safety Instructions have not been carried out.

Products must not be drilled, machined, ground, enlarged, re-threaded or otherwise modified to achieve fitment unless expressly authorised by us in writing.

We provide a 12-month warranty that the wheels are free from defects in materials and workmanship. If, after investigation, a wheel is found to be defective in terms of coating or structure, we will replace or repair it free of charge. This does not include the cost of returning the wheels for inspection, except where otherwise required by your statutory rights.

Certain wheel models are supplied under manufacturer-approved arrangements for use within specific regulated motorsport championships. These approvals apply only within those controlled supply agreements. Outside of these specific arrangements, or without our prior approval in writing, all Products are supplied for normal road use only.

Nothing in this warranty excludes or limits your statutory rights.

10. Warranty – Other Products

We warrant that any other Products purchased from us are of satisfactory quality and fit for their common purposes.

To initiate a warranty claim for other Products, contact us at wheels@rarerims.co.uk or call +44 (0)1363 777007, providing proof of purchase and details about the issue.

If you become aware of a suspected defect, fitment issue, unusual vibration, noise, loosening, damage or other condition which may affect safety, you must stop using the affected Product and have it checked before further use.

Where reasonably required to investigate a warranty or safety claim, you must retain the affected Product and relevant fitting components and provide reasonable information concerning the vehicle, installation and circumstances of the issue.

This warranty does not apply if the Products are:

- Modified in any way after purchase.
- Mishandled or cared for negligently (e.g. cleaned with acid-based cleaners).
- Damaged by a road hazard or heavy impact.
- Used on a vehicle that exceeds their maximum load-bearing capacity.
- Used beyond normal driving conditions (e.g. competition, off-road, motorsport).
- Not installed or fitted by a qualified professional.
- Fitted with an incorrect thread pitch, fixing length, seating type, thread engagement or torque setting.
- Installed without sufficient internal clearance where a closed-end wheel nut is used.
- Installed where a wheel nut or wheel bolt bottoms out before correctly and securely clamping the wheel.
- Installed where a wheel bolt interferes with components behind the hub.
- Used for an unsuitable application.
- Incorrectly fitted or fitted to a vehicle they do not properly fit.
- Installed where the compatibility and installation checks required by our Safety Instructions have not been carried out.

Products must not be drilled, machined, ground, enlarged, re-threaded or otherwise modified to achieve fitment unless expressly authorised by us in writing.

Nothing in this warranty excludes or limits your statutory rights.

11. Liability and Indemnity

Products must be installed by a qualified professional. If they are not, you use the Products at your own risk. We accept no liability for issues resulting from improper installation by unqualified individuals to the fullest extent permitted by law.

The supply or recommendation by us of a Product or fitting kit does not remove the requirement for the compatibility and installation checks specified in these Terms and Conditions and our Safety Instructions.

Our maximum liability for any losses you suffer is limited to the purchase price of the Products and any foreseeable losses arising directly from our breach. We are not liable for indirect or consequential losses (such as loss of income, business, profits, or contracts) to the extent permitted by law.

Nothing in these Terms and Conditions limits or excludes our liability for death or personal injury caused by our negligence, fraud or fraudulent misrepresentation, or for any other matter for which it would be unlawful to limit or exclude liability.

Other than the warranties expressly provided, all other warranties are excluded to the fullest extent permitted by law.

We take reasonable steps to keep your order and payment details secure. However, you provide such information at your own risk, and we are not liable for unauthorised access unless caused by our negligence.

12. Events Outside Our Control (Force Majeure)

We are not liable for any failure to perform or delays caused by events outside our reasonable control, including but not limited to:

- Strikes, lock-outs, or other industrial action.
- Fire, explosion, storms, floods, earthquakes, epidemics, or other natural disasters.
- Impossibility of using transportation services.
- Impossibility of using telecommunications networks.
- Government acts, decrees, regulations, or restrictions.

Our performance is suspended for the duration of the Force Majeure event. We will do our best to end the event or find a way to continue fulfilling our obligations.

13. Miscellaneous Provisions

- The contract between us is governed by the laws of England and Wales. This applies regardless of where you are located, except where local laws dictate otherwise. Any disputes will be resolved exclusively in the courts of England and Wales. The contract is concluded in English.
- Translations of these Terms and Conditions and our Safety Instructions may be provided for convenience and accessibility. To the extent permitted by applicable law, if there is any inconsistency or difference in interpretation between the English version and a translated version, the English version will prevail.
- You may not assign or transfer your rights or obligations under these Terms and Conditions without our written consent.
- We may transfer, assign, novate, or subcontract our rights or obligations under these Terms and Conditions to a third party.

- If any part of these Terms and Conditions is found to be invalid, unlawful, or unenforceable, that part will be considered removed, and the remaining parts will remain in effect.
- No person other than the parties to this contract has any right to enforce any of its terms.
- If we do not insist on strict performance of your obligations, or fail to exercise our rights or remedies, this does not mean we have waived our rights or remedies. No waiver is effective unless stated in writing.
- Any notice or communication must be in writing. Notices to you will be sent to the address or email you provided. Notices to us must be sent to Rota Wheels UK LTD T/A Rarerims, The Wheel House, Marsh End, Lords Meadow Industrial Estate, Crediton, Devon, EX17 1DN, or to wheels@rarerims.co.uk if we agree to accept electronic notices.
- Notices delivered personally are deemed received when delivered. Notices sent by pre-paid first-class post or recorded delivery are deemed received at 9 am on the second working day after posting (excluding weekends and bank holidays). Notices by email are deemed received at the time of sending, provided no delivery error is received.
- These Terms and Conditions, and any documents referred to within them, constitute the entire agreement between us relating to the subject matter. No oral representations form part of the contract. Any previous agreements or understandings are superseded by these Terms and Conditions.

Copyright © ROTA WHEELS UK LTD T/A RARERIMS